

**ATTACHMENT A. SPECIES CONSIDERED FOR INCLUSION
IN THE MULTI-SPECIES CONSERVATION STRATEGY
BUT NOT EVALUATED**

Table A-1. Species Considered for Inclusion in the Multi-Species Conservation Strategy but Not Evaluated

Multi-Species Conservation Strategy (MSCS) User Guide: This is a list of special-status species known to occur or with potential to occur in the MSCS focus area (i.e., the Ecosystem Restoration Program's [ERP's] 14 ecological zones and 12 potential reservoir sites) that were considered but not included in the MSCS because they:

- have no legal protection under the federal Endangered Species Act (FESA) or California Endangered Species Act (CESA) or other California Fish and Game Code sections, and are not likely to become federally or California listed as threatened or endangered during the term of CALFED implementation; and
- would not be substantially affected by CALFED actions, or are not rare or limited in distribution.

Additionally, species were not included in the MSCS if there was not enough information on the species' biology to determine effects of CALFED actions and the species had no legal protection.

Common Name	Scientific Name	Potential Effects of CALFED Actions on Species ²				
		Status ¹			May be Affected	Not Likely to be Affected
Federal	State	Other				
Mammals						
American badger	<i>Taxidea taxus</i>	-	CSC	-	X	
Berkeley kangaroo rat	<i>Dipodomys heermanni berkeleyensis</i>	-	-	SC		X2
California red tree vole	<i>Phenacomys longicaudus</i>	-	CSC	SC		X2
Fringed myotis	<i>Myotis thysanodes</i>	-	-	SC	X	
Hoary bat	<i>Lasiurus cinereus</i>	-	CSC	-		X1
Long-eared myotis	<i>Myotis evotis</i>	-	-	SC		X2
Long-legged myotis	<i>Myotis volans</i>	-	-	SC		X1
Marysville California kangaroo rat	<i>Dipodomys heermanni eximus</i>	-	CSC	SC		X
Pacific fisher	<i>Martes pennanti pacifica</i>	-	CSC	SC		X2
Pacific western big-eared bat	<i>Plecotus townsendii townsendii</i>	-	CSC	SC		X1
Pale Townsend's big-eared bat	<i>Plecotus townsendii pallescens</i>	-	CSC	SC	X	
Pallid bat	<i>Antrozous pallidus</i>	-	CSC	-		X1

Table A-1. Continued

Common Name	Scientific Name	Potential Effects of CALFED Actions on Species ²				
		Federal	State	Other	May be Affected	Not Likely to be Affected
Mammals (continued)						
Red bat	<i>Lasiurus borealis</i>	-	-	SC	X	
San Joaquin pocket mouse	<i>Perognathus inornatus</i>	-	-	SC	X	
Short-nosed kangaroo rat	<i>Dipodomys nitratoides brevinasus</i>	-	CSC	SC		X2
Silver-haired bat	<i>Lasionycteris noctivagans</i>	-	CSC	-		X1
Small-footed myotis	<i>Myotis ciliolabrum</i>	-	-	SC		X2
Spotted bat	<i>Euderma maculatum</i>	-	CSC	SC		X2
Tulare grasshopper mouse	<i>Onychomys torridus tularensis</i>	-	-	SC		
Yuma myotis	<i>Myotis yumanensis</i>	-	-	SC	X	
Birds						
Alameda song sparrow	<i>Melospiza melodia pusillula</i>	-	CSC	SC		X2
American white pelican	<i>Pelecanus erythrorhynchos</i>	-	CSC	SC	X	
Bell's sage sparrow	<i>Amphispiza belli belli</i>	-	CSC	SC		X2
Belted kingfisher	<i>Ceryle alcyon</i>	-	-	SC	X	
California horned lark	<i>Eremophila alpestris actia</i>	-	-	SC	X	
California spotted owl	<i>Strix occidentalis occidentalis</i>	-	CSC	SC		X2
Ferruginous hawk	<i>Buteo regalis</i>	-	CSC	SC		X1
Harlequin duck	<i>Histrionicus histrionicus</i>	-	CSC	SC		X1
Loggerhead shrike	<i>Lanius ludovicianus</i>	-	CSC	-	X	
Merlin	<i>Falco columbarius</i>	-	CSC	-		X1
Northern goshawk	<i>Accipiter gentilis</i>	-	-	SC		X1

Table A-1. Continued

Common Name	Scientific Name	Potential Effects of CALFED Actions on Species ²				
		Federal	State	Other	May be Affected	Not Likely to be Affected
Birds (continued)						
Oregon vesper sparrow	<i>Pooecetes gramineus affinis</i>	-	-	SC	X	
Pacific-slope flycatcher	<i>Empidonax difficilis insulicola</i>	-	-	SC	X	
Prairie falcon	<i>Falco mexicanus</i>	-	CSC	-		X1
Purple martin	<i>Progne subis</i>	-	CSC	-		X1
Sacramento Valley song sparrow	<i>Melospiza melodia mailliardi</i>	-	-	SC	X	
Sharp-shinned hawk	<i>Accipiter striatus</i>	-	CSC	-		X1
Sora	<i>Porzana carolina</i>	-	-	SC	X	
Yellow-headed blackbird	<i>Xanthocephalus xanthocephalus</i>	-	-	SC	X	
Yellow rail	<i>Coturnicops noveboracensis</i>	-	CSC	-		X1
Reptiles						
California horned lizard	<i>Phrynosoma coronatum frontale</i>	-	CSC	SC	X	
Silvery legless lizard	<i>Anniella pulchra pulchra</i>	-	CSC	SC		X2
Amphibians						
Cascades frog	<i>Rana cascadae</i>	-	-	SC		X2
Tailed frog	<i>Ascaphus truei</i>	-	CSC	SC		X2
Fish						
Kern brook lamprey	<i>Lampetra hubbsi</i>	-	CSC	SC		X2
Pacific lamprey	<i>Lampetra tridentata</i>	-	-	SC	X	
Pit roach	<i>Lavinia symmetricus mitrulus</i>	-	CSC	SC		X2
River lamprey	<i>Lampetra ayresi</i>	-	CSC	-		X

Table A-1. Continued

Common Name	Scientific Name	Potential Effects of CALFED Actions on Species ²				
		Federal	State	Other	May be Affected	Not Likely to be Affected
Fish (continued)						
San Joaquin roach	<i>Lavinia symmetricus</i> ssp.(<i>San Joaquin</i>)	-	CSC	SC		X2
Invertebrates						
Amphibious caddisfly	<i>Desmona bethula</i>	-	-	SC	X	
Antioch andrenid bee	<i>Perdita scitula antiochensis</i>	-	-	SC	X	
Antioch cophuran robberfly	<i>Cophura hurdi</i>	-	-	SC	X	
Antioch Dunes anthicid beetle	<i>Anthicus anthiochensis</i>	-	-	SC	X	
Antioch efferian robberfly	<i>Efferia anticohi</i>	-	-	SC	X	
Antioch mutillid wasp	<i>Myrmosula pacifica</i>	-	-	SC	X	
Antioch sphecid wasp	<i>Philanthus nasilis</i>	-	-	SC	X	
Bohart's blue butterfly	<i>Philotiella speciosa bohartorum</i>	-	-	SC	X	
Bridges' Coast Range shoulderband snail	<i>Helminthoglypta nickliniana bridgesi</i>	-	-	SC		X2
California linderiella	<i>Linderiella occidentalis</i>	-	-	SC	X	
Ciervo aegalian scarab beetle	<i>Aegialia concinna</i>	-	-	SC	X	
Curved-foot hygrotus diving beetle	<i>Hygrotus curvipes</i>	-	-	SC	X	
Globose dune beetle	<i>Coelus globosus</i>	-	-	SC	X	
Gold Rush hanging fly	<i>Orbittacus obscurus</i>	-	-	SC	X	
Ground beetle (no species-specific name)	<i>Scaphinotus behrensi</i>	-	-	SC	X	
Hurd's metapogon robberfly	<i>Metapogon hurdi</i>	-	-	SC	X	
Leech's skyline diving beetle	<i>Hydroporus leechi</i>	-	-	SC		X

Table A-1. Continued

Common Name	Scientific Name	Potential Effects of CALFED Actions on Species ²				
		Federal	State	Other	May be Affected	Not Likely to be Affected
Invertebrates (continued)						
Marin elfin butterfly	<i>Incisalia mossii</i>	-	-	SC		X2
Merced Canyon shoulderband snail	<i>Helminthoglypta allynsmithi</i>	-	-	SC	X	
Middlekauf's shieldback katydid	<i>Idiostatus middlekaufi</i>	-	-	SC	X	
Moestan blister beetle	<i>Lytta moesta</i>	-	-	SC	X	
Morrison's blister beetle	<i>Lytta morrisoni</i>	-	-	SC	X	
Opler's longhorn moth	<i>Adela oplerella</i>	-	-	SC		X2
Redheaded sphecid wasp	<i>Eucerceris ruficeps</i>	-	-	SC	X	
Ricksecker's water scavenger beetle	<i>Hydrochara rickseckeri</i>	-	-	SC	X	
Sacramento anthicid beetle	<i>Anthicus sacramento</i>	-	-	SC	X	
Sacramento Valley tiger beetle	<i>Cicindela hirticollis abrupta</i>	-	-	SC	X	
Sandy beach tiger beetle	<i>Cicindela hirticollis gravida</i>	-	-	SC	X	
San Joaquin dune beetle	<i>Coelus gracilis</i>	-	-	SC	X	
San Joaquin tiger beetle	<i>Cicindela tranquebarica</i> ssp.	-	-	SC	X	
Williams' bronze shoulderband snail	<i>Helminthoglypta arrosa williamsi</i>	-	-	SC	X	
Yellow-banded andrenid bee	<i>Perdita hirticeps luteocincta</i>	-	-	SC	X	
Plants						
Pubescent needlegrass	<i>Achnatherum lemmontii</i> var. <i>pubescens</i>	-	-	3		X2
Jepson's onion	<i>Allium jepsonii</i>	-	-	1B/SC		X2
Forked fiddleneck	<i>Amsinckia vernicosa</i> var. <i>furcata</i>	-	-	SC		X2
Sonoma manzanita	<i>Arctostaphylos canescens</i> ssp. <i>sonomensis</i>	-	-	1B		X2

Table A-1. Continued

Common Name	Scientific Name	Potential Effects of CALFED Actions on Species ²				
		Federal	State	Other	May be Affected	Not Likely to be Affected
Plants (continued)						
Nissenan manzanita	<i>Arctostaphylos nissenana</i>	-	-	1B/SC		X2
Rincon manzanita	<i>Arctostaphylos stanfordiana</i> ssp. <i>decumbens</i>	-	-	1B		X2
Northern spleenwort	<i>Asplenium septentrionale</i>	-	-	2		X2
Suksdorf's milkvetch	<i>Astragalus pulsiferae</i> var. <i>suksdorffii</i>	-	-	1B/SC		X2
Big-scale balsamroot	<i>Balsamorhiza macrolepis</i> var. <i>macrolepis</i>	-	-	1B	X	
Upswept moonwort	<i>Botrychium ascendens</i>	-	-	2/SC		X2
Scalloped moonwort	<i>Botrychium crenulatum</i>	-	-	1B/SC	X	
Mingan moonwort	<i>Botrychium minganense</i>	-	-	2		X2
Western goblin	<i>Botrychium montanum</i>	-	-	2		X2
Pleasant Valley mariposa lily	<i>Calochortus clavatus</i> var. <i>avius</i>	-	-	1B/SC		X2
Long-haired star-tulip	<i>Calochortus longebarbatus</i> var. <i>longebarbatus</i>	-	-	1B		X2
Hoover's calycadenia	<i>Calycadenia hooveri</i>	-	-	1B/SC	X	
Santa Cruz Mtns. pussypaws	<i>Calyptidium parryi</i> var. <i>hesseae</i>	-	-	3		X2
Butte County morning-glory	<i>Calystegia atriplicifolia</i> ssp. <i>butensis</i>	-	-	3/SC		X2
Mt. Saint Helena morning-glory	<i>Calystegia collina</i> ssp. <i>oxyphylla</i>	-	-	SC		X2
Wilkin's harebell	<i>Campanula wilkinsiana</i>	-	-	1B/SC		X2
Dissected-leaf toothwort	<i>Cardamine pachystigma</i> var. <i>dissectifolia</i>	-	-	3		X2
Slender sedge	<i>Carex lasiocarpa</i>	-	-	2	X	
Shore sedge	<i>Carex limosa</i>	-	-	2		X2
Pointed broom sedge	<i>Carex scoparia</i>	-	-	2		X2

Table A-1. Continued

Common Name	Scientific Name	Potential Effects of CALFED Actions on Species ²				
		Federal	State	Other	May be Affected	Not Likely to be Affected
Plants (continued)						
Fox sedge	<i>Carex vulpinoidea</i>	-	-	2	X	
Rincon Ridge ceanothus	<i>Ceanothus confusus</i>	-	-	1B/SC		X2
Calistoga ceanothus	<i>Ceanothus divergens</i>	-	-	1B/SC		X2
Sonoma ceanothus	<i>Ceanothus sonomensis</i>	-	-	1B/SC		X2
Red Hills soaproot	<i>Chlorogalum grandiflorum</i>	-	-	1B/SC		X2
San Benito spineflower	<i>Chorizanthe biloba</i> var. <i>immemora</i>	-	-	1B		X2
Mt. Hamilton thistle	<i>Cirsium fontinale</i> var. <i>campylon</i>	-	-	1B/SC	X	
Small's southern clarkia	<i>Clarkia australis</i>	-	-	1B		X2
Santa Clara red ribbons	<i>Clarkia concinna</i> ssp. <i>automixia</i>	-	-	1B/SC	X	
White-stemmed clarkia	<i>Clarkia gracilis</i> ssp. <i>albicaulis</i>	-	-	1B		X2
Mosquin's clarkia	<i>Clarkia mosquinii</i>	-	-	1B	X	
Enterprise clarkia	<i>Clarkia mosquinii</i> ssp. <i>xerophila</i>	-	-	1B/SC		X2
Talus collomia	<i>Collomia larsenii</i>	-	-	2		X2
Serpentine cryptantha	<i>Cryptantha clevelandii</i> var. <i>dissita</i>	-	-	1B		X2
Clustered lady's-slipper	<i>Cypripedium fasciculatum</i>	-	-	SC		X2
Western leatherwood	<i>Dirca occidentalis</i>	-	-	1B	X	
Dwarf downingia	<i>Downingia pusilla</i>	-	-	2	X	
Golden draba	<i>Draba aureola</i>	-	-	1B		X2
English sundew	<i>Drosera anglica</i>	-	-	2		X2
Oregon fireweed	<i>Epilobium oreganum</i>	-	-	1B/SC		X2

Table A-1. Continued

Common Name	Scientific Name	Potential Effects of CALFED Actions on Species ²				
		Status ¹			May be Affected	Not Likely to be Affected
Plants (continued)						
Common Name	Scientific Name	Federal	State	Other	May be Affected	Not Likely to be Affected
Narrow-leaved daisy	<i>Erigeron angustatus</i>	-	-	1B		X2
Streamside daisy	<i>Erigeron biolettii</i>	-	-	3		X2
Tiburon buckwheat	<i>Eriogonum luteolum</i> var. <i>caninum</i>	-	-	3		X2
Snow Mountain buckwheat	<i>Eriogonum nervulosum</i>	-	-	1B/SC		X2
Mt. Diablo buckwheat	<i>Eriogonum truncatum</i>	-	-	1A/SC		X2
Tuolumne fawn lily	<i>Erythronium tuolumnense</i>	-	-	1B		X2
Stinkbells	<i>Fritillaria agrestris</i>	-	-	4	X	
Butte County fritillary	<i>Fritillaria eastwoodiae</i>	-	-	1B/SC		X2
Talus fritillary	<i>Fritillaria falcata</i>	-	-	1B/SC	X	
Fragrant fritillary	<i>Fritillaria liliacea</i>	-	-	1B/SC		X2
Bisbee Peak rush-rose	<i>Helianthemum suffrutescens</i>	-	-	3		X2
Hayfield tarplant	<i>Hemizonia congesta</i> ssp. <i>leucocephala</i>	-	-	3		X2
Two-carpellate western flax	<i>Hesperolinon bicarpellatum</i>	-	-	1B/SC		X2
Red Bluff dwarf rush	<i>Juncus leiospermus</i> var. <i>leiospermus</i>	-	-	1B		X2
Coulter's goldfields	<i>Lasthenia glabrata</i> ssp. <i>coulteri</i>	-	-	1B	X	
Dubious pea	<i>Lathyrus sulphureus</i> var. <i>argillaceus</i>	-	-	3		X2
Rayless layia	<i>Layia discoidea</i>	-	-	1B		X2
Munz's tidy-tips	<i>Layia munzii</i>	-	-	1B	X	
Colusa layia	<i>Layia septentrionalis</i>	-	-	1B		X2
Woolly-headed lessingia	<i>Lessingia hololeuca</i>	-	-	3		X2

Table A-1. Continued

Common Name	Scientific Name	Potential Effects of CALFED Actions on Species ²			
		Federal	State	Other	May be Affected
Plants (continued)					
Cantelow's lewisia	<i>Lewisia cantelovii</i>	-	-	1B	X2
Howell's lewisia	<i>Lewisia cotyledon</i>	-	-	3	X2
Stebbins' lewisia	<i>Lewisia stebbinsii</i>	-	-	1B/SC	X2
Woolly meadowfoam	<i>Limnanthes floccosa</i> ssp. <i>floccosa</i>	-	-	2	X2
Madera linanthus	<i>Linanthus serrulatus</i>	-	-	1B	X
Anthony Peak lupine	<i>Lupinus antoninus</i>	-	-	1B/SC	X2
Quincy lupine	<i>Lupinus dalesiae</i>	-	-	1B	X2
Cobb Mountain lupine	<i>Lupinus sericatus</i>	-	-	1B	X2
Niles madia	<i>Madia doris-nilesiae</i>	-	-	1B	X2
Hall's madia	<i>Madia hallii</i>	-	-	1B/SC	X2
Stebbins' madia	<i>Madia stebbinsii</i>	-	-	1B/SC	X2
Indian Valley bush mallow	<i>Malacothamnus aboriginum</i>	-	-	1B	X2
Nelson's pepperwort	<i>Marsilea oligospora</i>	-	-	3	X
Serpentine monkeyflower	<i>Mimulus brachiatus</i>	-	-	3	X2
The Lassics sandwort	<i>Minuartia decumbens</i>	-	-	1B/SC	X2
Veiny monardella	<i>Monardella douglasii</i> ssp. <i>venosa</i>	-	-	1B/SC	X2
Merced monardella	<i>Monardella leucocephala</i>	-	-	1A/SC	X2
Robust monardella	<i>Monardella villosa</i> ssp. <i>globosa</i>	-	-	1B	X2
Little mousetail	<i>Myosurus minimus</i> ssp. <i>apus</i>	-	-	3/SC	X
Baker's navarretia	<i>Navarretia leucocephala</i> ssp. <i>bakeri</i>	-	-	1B	X

Table A-1. Continued

Common Name	Scientific Name	Potential Effects of CALFED Actions on Species ²				
		Status ¹			May be Affected	Not Likely to be Affected
		Federal	State	Other		
Plants (continued)						
Shining navarretia	<i>Navarretia nigelliformis</i> ssp. <i>radians</i>	-	-	1B	X	
Marin County navarretia	<i>Navarretia rosulata</i>	-	-	1B		X2
Sonoma beardtongue	<i>Penstemon newberryi</i> var. <i>sonomensis</i>	-	-	1B		X2
Closed-throated beardtongue	<i>Penstemon personatus</i>	-	-	1B/SC		X2
Gairdner's yampah	<i>Perideridia gairdneri</i> ssp. <i>gairdneri</i>	-	-	SC		X2
Stebbins' phacelia	<i>Phacelia stebbinsii</i>	-	-	1B/SC		X2
Moss phlox	<i>Phlox muscoides</i>	-	-	2		X2
Engelmann spruce	<i>Picea engelmannii</i>	-	-	2		X2
Horned butterwort	<i>Pinguicula vulgaris</i>	-	-	2		X2
Hairless popcornflower	<i>Plagiobothrys glaber</i>	-	-	1A		X2
Bearded popcornflower	<i>Plagiobothrys hystriculus</i>	-	-	1A		X2
Petaluma popcornflower	<i>Plagiobothrys mollis</i> var. <i>vestitus</i>	-	-	1A		X2
Hooked popcornflower	<i>Plagiobothrys uncinatus</i>	-	-	1B/SC	X	
California sycamore	<i>Platanus racemosa</i>	-	-	SC	X	
Douglas' pogogyne	<i>Pogogyne douglasii</i> ssp. <i>parviflora</i>	-	-	3	X	
Nuttall's pondweed	<i>Potamogeton epihydrus</i> ssp. <i>nuttallii</i>	-	-	2		X2
Slender-leaved pondweed	<i>Potamogeton filiformis</i>	-	-	2	X	
White-stemmed pondweed	<i>Potamogeton praelongus</i>	-	-	2	X	
Sticky pyrrocoma	<i>Pyrrocoma lucida</i>	-	-	1B		X2
Hall's rupertia	<i>Rupertia hallii</i>	-	-	1B		X2

Table A-1. Continued

Common Name	Scientific Name	Potential Effects of CALFED Actions on Species ²				
		Status ¹			May be Affected	Not Likely to be Affected
Plants (continued)						
Common Name	Scientific Name	Federal	State	Other	May be Affected	Not Likely to be Affected
Tracy's sanicle	<i>Sanicula tracyi</i>	-	-	1B/SC		X2
American scheuchzeria	<i>Scheuchzeria palustris</i> var. <i>americana</i>	-	-	2	X	
Slender bulrush	<i>Scirpus heterochaetus</i>	-	-	2		X2
Water bulrush	<i>Scirpus subterminalis</i>	-	-	2		X2
Feather River stonecrop	<i>Sedum albomarginatum</i>	-	-	1B		X2
Canyon Creek stonecrop	<i>Sedum paradiseum</i>	-	-	1B/SC		X2
Rayless ragwort	<i>Senecio aphanactis</i>	-	-	2		X2
Cut-leaved ragwort	<i>Senecio eurycephalus</i> var. <i>lewisrosei</i>	-	-	1B		X2
Sweet marsh ragwort	<i>Senecio hydrophiloides</i>	-	-	3		X2
Point Reyes checkerbloom	<i>Sidalcea calycosa</i> ssp. <i>rhizomata</i>	-	-	1B		X2
Butte County checkerbloom	<i>Sidalcea robusta</i>	-	-	1B/SC		X2
Western campion	<i>Silene occidentalis</i> ssp. <i>longistipitata</i>	-	-	3/SC		X2
Cascade alpine campion	<i>Silene suksdorfii</i>	-	-	2		X2
Lassen Peak smelowskia	<i>Smelowskia ovalis</i> var. <i>congesta</i>	-	-	1B/SC		X2
Prairie wedge grass	<i>Sphenopholis obtusata</i>	-	-	2		X2
Long-leaved starwort	<i>Stellaria longifolia</i>	-	-	2		X2
Obtuse starwort	<i>Stellaria obtusa</i>	-	-	2		X2
Socrates mine jewelflower	<i>Streptanthus brachiatus</i> ssp. <i>brachiatus</i>	-	-	1B/SC		X2
Freed's jewelflower	<i>Streptanthus brachiatus</i> ssp. <i>hoffmannii</i>	-	-	1B/SC		X2
Mt. Tamalpais jewelflower	<i>Streptanthus glandulosus</i> ssp. <i>pulchellus</i>	-	-	1B		X2

Table A-1. Continued

Common Name	Scientific Name	Potential Effects of CALFED Actions on Species ²					
		Status ¹			May be Affected	Not Likely to be Affected	
Federal State Other							
Plants (continued)							
Three Peaks jewelflower	<i>Streptanthus morrisonii</i> ssp. <i>elatus</i>	-	-	1B/SC		X2	
Kruckeberg's jewelflower	<i>Streptanthus morrisonii</i> ssp. <i>kruckebergii</i>	-	-	1B/SC		X2	
Morrison's jewelflower	<i>Streptanthus morrisonii</i> ssp. <i>morrisonii</i>	-	-	1B/SC	X	X2	
Wright's trichocoronis	<i>Trichocoronis wrightii</i> var. <i>wrightii</i>	-	-	2	X		
Northern daisy	<i>Trimorpha acris</i> var. <i>debilis</i>	-	-	2		X2	
San Francisco owl's-clover	<i>Triphysaria floribunda</i>	-	-	1B		X2	
Caper-fruited tropidocarpum	<i>Tropidocarpum capparideum</i>	-	-	1A/SC		X2	
Siskiyou Mtns. huckleberry	<i>Vaccinium coccineum</i>	-	-	3		X2	
Woolly violet	<i>Viola tomentosa</i>	-	-	1B		X2	
El Dorado County mule ears	<i>Wyethia reticulata</i>	-	-	1B/SC		X2	

Notes:

¹ Status:

State

CSC = California species of special concern.

Other

- 1A = California Native Plant Society List 1A.
- 1B = California Native Plant Society List 1B.
- 2 = California Native Plant Society List 2.
- 3 = California Native Plant Society List 3.
- SC = Other species of concern identified by CALFED.

Table A-1. Continued

² Potential Effects of CALFED Actions on Species:

May be Affected

X = Species is associated with habitat types or occurs at specific locations that may be adversely or beneficially affected by CALFED depending on where CALFED actions would be implemented, or species is uncommon or transient in the MSCS focus area and may be affected by CALFED depending on when or where CALFED actions would be implemented.

Not Likely to be Affected

X1 = CALFED actions do not affect the species because habitat is not limiting and the species is mobile.
X2 = Species occurs in areas that would not be affected by CALFED actions.

Not Enough Information on the Species

X = Not enough information on the species' biology or distribution to make a determination of effects.